
EXHIBIT I

Exemplary Chart for the '008 Patent Infringement of U.S. Patent No. 8,792,008 by Spectrum Accused Services

#	U.S. Patent No. 8,792,008	Spectrum Accused Services
1a	1. A system comprising:	The Accused Services are provided by the claimed system by utilizing, for example, the
		Accused Set Top Products, which include at least one set top box ("STB") located at
		each subscriber location, including, for example, the Spectrum 100-series STBs, Spec-
		trum 200-series STBs, Spectrum 101-series STBs, Spectrum 201-series STBs, Spec-
		trum 110-series STBs, Spectrum 210-series STBs, the Arris DCX3600 STB, and prod-
		ucts that operate in a similar manner. By way of example, the Spectrum 210 (specifically
		the Spectrum 210-T) is charted herein.
1b	an analog-to-digital converter op-	The Spectrum 210 has an analog-to-digital converter operable to digitize a received
	erable to digitize a received sig-	signal spanning an entire television spectrum comprising a plurality of television
	nal spanning an entire television	channels, said digitization resulting in a digitized signal.
	spectrum comprising a plurality	
	of television channels, said digit-	Specifically, the Spectrum 210 has an analog to digital converter:
	ization resulting in a digitized sig-	
	nal;	



1c a signal monitor operable to:

The Spectrum 210 has a signal monitor:

		BLM3384 SOC
1d	analyze said digitized signal to	The Spectrum 210 analyzes said digitized signal to determine a characteristic of said
	determine a characteristic of said digitized signal; and	digitized signal.
]	Specifically, the Spectrum 210 includes remote diagnostics capabilities that provide real
		time, unobtrusive diagnostic and spectrum analysis capabilities. Upon information and
		belief, the Spectrum 210 analyzes, using the signal monitor, said digitized signal to
		determine a characteristic of said digitized signal.
1e	report said determined charac-	The Spectrum 210 reports said determined characteristic to a source of said received
	teristic to a source of said re-	signal.
	ceived signal;	

		Specifically, the Spectrum 210 includes remote diagnostics capabilities that provide real
		time, unobtrusive diagnostic and spectrum analysis capabilities. Upon information and
		belief, the Spectrum 210 reports said determined characteristic to a source of said
		received signal.
1f	a data processor operable to pro-	The Spectrum 210 has a data processor operable to process a television channel to
	cess a television channel to re-	recover content carried on the television channel:
	cover content carried on the television channel; and	Specifically, in the Spectrum 210, each digitally tuned television channel is provided to a
		digital demodulator that outputs a transport stream for use in broadcast services.
1g	a channelizer operable to:	The Spectrum 210 has a channelizer:

		BENS384 SOC
1h	select a first portion of said digitized signal;	The Spectrum 210 selects a first portion of said digitized signal.
		Specifically, the Spectrum 210 includes advanced signal processing techniques that can
		be used to digitally tune multiple channels simultaneously, including selecting a first portion of said digitized signal.
1i	select a second portion of said	The Spectrum 210 selects a second portion of said digitized signal.
	digitized signal; and	
		Specifically, the Spectrum 210 includes advanced signal processing techniques that can
		be used to digitally tune multiple channels simultaneously, including selecting a second portion of said digitized signal.
		portion of salu digitized signal.

1j	concurrently output said first por- tion of said digitized signal to said signal monitor and said sec-	The Spectrum 210 concurrently outputs said first portion of said digitized signal to said signal monitor and said second portion of said digitized signal to said data processor.
	ond portion of said digitized signal to said data processor.	Specifically, the Spectrum 210 includes remote diagnostics capabilities that provide real time, unobtrusive diagnostic and spectrum analysis capabilities without affecting user service on any downstream channels. As described above, the first portion of said digitized signal is output to said signal monitor and said second portion of said digitized signal is output to said data processor. Accordingly, the Spectrum 210 concurrently outputs said first portion of said digitized signal to said signal monitor and said second portion of said digitized signal to said data processor.
2	2. The system of claim 1, wherein said first portion of said digitized signal spans said entire television spectrum.	See 1h.